

CHCNAV

AT312

**GEODETTIC GNSS
ANTENNA**



**SURVEYING
& ENGINEERING**

COST EFFECTIVE ENHANCED ACCURACY GNSS ANTENNA

The AT312 is a versatile geodetic GNSS antenna designed to match the requirements of any land surveying, construction and engineering applications. With advanced filtering and robust signal tracking capabilities, the AT312 provides survey-grade GNSS signal to enhance your position accuracy performances.

MULTI-CONSTELLATION TRACKING

The AT312 supports all current and upcoming GNSS signals including GPS, GLONASS, BeiDou, Galileo, QZSS, IRNSS, SBAS and L-Band.

ADVANCED MULTIPATH MITIGATION

The AT312 advanced LNA and optimized ground plane technology significantly reduces multipaths' impact on the measurement accuracy.

SUPERIOR PERFORMANCE

The IP67 industrial design of the AT312 makes it safe to use in harsh conditions within wide operating temperature range. The AT312 features 40-dB signal gain and a low elevation GNSS signal tracking capability even in challenging surroundings.

 **GEODETTIC
GNSS ANTENNA**




**SURVEY GRADE FOR
ANY APPLICATION**

SPECIFICATIONS

Signal Tracking	
GPS	L1, L2, L5
GLONASS	L1, L2, L3
BeiDou	B1, B2, B3
Galileo	E1, E5A, E5B, E6
QZSS	L1, L2, L5
IRNSS	L5
SBAS	L1, L5
L-Band	
Performance	
Polarization	RHCP
Axial Ratio	≤ 2 dB
Nominal Impedance	50 Ohm
VSWR	≤ 1.5
Gain at Zenith (90°)	1164-1300 MHz: 5.5 dBi (minimum) 1520-1615 MHz: 5 dBi (minimum)
Phase Center Accuracy	± 2 mm
LNA Gain	40 ± 2 dB
Noise Figure	≤ 2.0 dB
Passband Ripple	± 1 dB
Input Voltage	3.3~12V DC
Input Current	≤ 55 mA
Differential Propagation Delay	≤ 5 ns

Mechanical	
Dimensions	154 mm x 63 mm (6.1 in x 2.5 in)
Weight	≤ 450 g (15.9 oz)
Connector	TNC Female
Mounting	5/8" - 11 Female Thread
Environmental	
Operating Temperature	-40 °C to +85 °C (-40 °F to +185 °F)
Storage Temperature	-55 °C to +85 °C (-67 °F to +185 °F)
Humidity	95% non-condensing
Vibration	MIL-STD-810 G, 514.7
Calibration	NGS
Water/Dust Rating	IP67 waterproof and dustproof
Drop Test	Survive a 2 m (6.56ft) drop onto concrete

*All specifications are subject to change without notice.



© 2020 Shanghai Huace Navigation Technology Ltd. All rights reserved. The CHC and CHC logo are trademarks of Shanghai Huace Navigation Technology Limited. All other trademarks are the property of their respective owners. Revision May 2020.

WWW.CHCNAV.COM | SALES@CHCNAV.COM

CHC Navigation Headquarter
Shanghai Huace Navigation Technology Ltd.
599 Gaojing Road, Building D,
Shanghai, 201702, China,
+86 21 54260273

CHC Navigation Europe
Infopark Building, Sétány 1, 1117
Budapest, Hungary
+36 20 235 8248 +36 20 5999 369
info@chcnv.eu

CHC Navigation USA LLC
16412 N 92nd Street, Suite 115,
85 260 Scottsdale, Arizona, USA,
+1 480 676 4306

CHC Navigation India
409 Trade Center, Khokhra Circle,
Maninagar East, Ahmedabad,
Gujarat, India
+91 90 99 98 08 02